

## **AMENDMENTS TO THE CLAIMS**

The claims are amended as follows:

1. (Currently Amended) An apparatus for synchronizing and transmitting five sensory data, comprising:

a video/audio data generating means for generating video/audio data by receiving multimedia data from an external device;

a touch data describing means for describing vibration expressed in the multimedia data received from the external device based on a predefined touch data descriptor;

an odor data describing means for describing an odor expressed in the multimedia data transmitted from the external device based on a predefined odor data descriptor;

a taste data describing means for describing a taste expressed in the multimedia data transmitted from the external device based on a predefined taste data descriptor;

a video/audio packet forming means for forming video/audio packets out of the video/audio data generated in the video/audio generating means;

a touch/odor/taste packet forming means for forming a touch packet, an odor packet, and a taste packet out of the touch, odor and taste data which are described in the touch data describing means, the odor data describing means, and the taste data describing means, respectively;

a multiplexing means for multiplexing the video/audio packets generated in the video/audio packet generating means with at least one of the touch packet, the odor packet and the taste packet formed in the touch/odor/taste packet forming means to thereby synchronize the video/audio packets with at least one of the touch/odor/taste packets, wherein the multiplexing means adds at least one of the touch/odor/taste packets formed in the touch/odor/taste packet forming means to a plurality of video/audio packets generated in the video/audio generating means ~~on a basis of the multimedia data frame to form a plurality of multimedia data frames~~ to thereby multiplex and synchronize the video/audio packets with at least one of the touch/odor/taste packets; and

a transmitting means for transmitting said multimedia data frames~~a multiplexed and synchronized packet multiplexed and synchronized in the multiplexing means.~~

2. (Original) The apparatus as recited in claim 1, wherein the touch data describing means describes vibration expressed in the multimedia data transmitted from the external device based on a descriptor describing whether touch data are described; a descriptor describing whether right/left movement is described; a descriptor describing whether up/down movement is described; a descriptor describing whether back/forth movement is described; a descriptor describing a distance of movement; a descriptor describing a speed of movement; a descriptor describing an acceleration of movement; a descriptor describing whether right/left rotation is described; a descriptor describing an angle of right/left rotation; a descriptor describing a speed of right/left rotation; and a descriptor describing an acceleration of right/left rotation.

3. (Original) The apparatus as recited in claim 2, wherein the odor data describing means describes an odor expressed in the multimedia data transmitted from the external device based on a descriptor describing whether the odor data are described; a descriptor describing a kind of the odor; and a descriptor describing an intensity of the odor.

4. (Original) The apparatus as recited in claim 3, wherein the taste data describing means describes a taste expressed in the multimedia data transmitted from the external device based on a descriptor describing whether the taste data are described; a descriptor describing a kind of the taste; and a descriptor describing an intensity of the taste.

5. (Original) The apparatus as recited in claim 1, wherein the touch/odor/taste packet forming means forms a touch packet including information on whether the touch data are described, information on a packet length, and information on the touch data descriptors described in the touch data describing means; an odor packet including information on whether

odor data are described, information on an odor packet length, and information on the odor data descriptors described in the odor data describing means; and a taste packet including information on whether taste data are described, information on a taste packet length, and information on the taste data descriptors described in the taste data describing means.

6. (Cancelled)

7. (Currently Amended) A method for synchronizing and transmitting five sensory data, comprising the steps of:

- a) generating video/audio data by receiving multimedia data from an external device;
- b) describing vibration, an odor and a taste expressed in the multimedia data transmitted from the external device to generate touch data, odor data and taste data based on predefined touch, odor and taste data descriptors, respectively;
- c) forming video/audio packets out of the video/audio data; and forming a touch packet, an odor packet and a taste packet out of the touch data, the odor data and the taste data, respectively;
- d) performing synchronization by multiplexing the video/audio packets, the touch packet, the odor packet and the taste packet to form a plurality of multimedia data frames; and
- e) transmitting the multimedia data frames ~~a multiplexed packet~~ to a receiving part.

8. (Original) The method as recited in claim 7, wherein in the step b), the vibration expressed in the multimedia data transmitted from the external device is described based on a descriptor describing whether touch data are described; a descriptor describing whether right/left movement is described; a descriptor describing whether up/down movement is described; a descriptor describing whether back/forth movement is described; a descriptor describing a distance of movement; a descriptor describing a speed of movement; a descriptor describing an acceleration of movement; a descriptor describing whether right/left rotation is described; a

descriptor describing an angle of right/left rotation; a descriptor describing a speed of right/left rotation; a descriptor describing an acceleration of right/left rotation;

the odor expressed in the multimedia data received from the external device is described based on a descriptor describing whether the odor data are described; a descriptor describing a kind of the odor; and a descriptor describing an intensity of the odor; and,

the taste expressed in the multimedia data received from the external device is described based on a descriptor describing whether the taste data are described; a descriptor describing a kind of the taste; and a descriptor describing an intensity of the taste.

9. (Previously Presented) The method as recited in claim 7, wherein in the step d), the touch packet, the odor packet and the taste packet are added to a plurality of video/audio packets on a basis of a multimedia data frame to thereby multiplex and synchronize the video/audio packets with the touch packet, the odor packet, and the taste packet.

10. (Currently Amended) A system for providing actual-feeling multimedia data, comprising:

a video/audio data generating means for generating video/audio data by receiving multimedia data from an external device;

a touch data describing means for describing vibration expressed in the multimedia data transmitted from the external device based on a predefined touch data descriptor;

an odor data describing means for describing an odor expressed in the multimedia data received from the external device based on a predefined odor data descriptor;

a taste data describing means for describing a taste expressed in the multimedia data received from the external device based on a predefined taste data descriptor;

a video/audio packet forming means for forming video/audio packets out of the video/audio data generated in the video/audio generating means;

a touch/odor/taste packet forming means for forming a touch packet, an odor packet, and a taste packet out of the touch, odor and taste data described in the touch data describing means, the odor data describing means, and the taste data describing means, respectively;

a multiplexing means for multiplexing the video/audio packets generated in the video/audio packet generating means and at least one of the touch packet, the odor packet and the taste packet formed in the touch/odor/taste packet forming means to thereby synchronize the video/audio packets with at least one of the touch/odor/taste packets, wherein the multiplexing means adds to at least one of the touch/odor/taste packets formed in the touch/odor/taste packet forming means to a plurality of video/audio packets generated in the video/audio generating means ~~on a basis of the multimedia data frame to form a plurality of multimedia data frames to~~ thereby multiplex and synchronize the video/audio packets with at least one of the touch/odor/taste packets;

a transmitting means for transmitting a multiplexed and synchronized packet obtained in the multiplexing means;

a receiving means for receiving said multimedia data frames~~the multiplexed and synchronized packet~~;

a demultiplexing means for demultiplexing the multiplexed and synchronized packet received by the receiving means into the video data, the audio data, the touch data, the odor data and the taste data;

a video device for decoding and outputting the video data demultiplexed by the demultiplexing means;

an audio device for decoding and outputting the audio data demultiplexed by the demultiplexing means;

a vibration device for providing vibration to a user by interpreting the touch data demultiplexed by the demultiplexing means;

an odor device for spraying chemical aromatics to a user by interpreting the odor data demultiplexed by the demultiplexing means; and

a taste device for releasing a taste forming material to a user by interpreting the taste data demultiplexed by the demultiplexing means.

11. (Original) The system as recited in claim 10, wherein the demultiplexing means deletes network-related information from the received packet in form of a compressed stream by depacketizing, divides the depacketized packet into the video data, the audio data, the touch data, the odor data and the taste data on a basis of a multimedia data frame, and transmits the video data, the audio data, the touch data, the odor data and the taste data to corresponding devices based on header information.

12. (Original) The system as recited in claim 10, wherein the vibration device moves to right and left, back and forth, and up and down or rotates by interpreting the touch data, which are demultiplexed in the demultiplexing means, based on a predefined touch data descriptor; and a starting time and a duration time of movement or rotation operation are synchronized with a moving picture and a sound outputted from the video device and the audio device, respectively.

13. (Original) The system as recited in claim 12, wherein the odor device sprays the chemical aromatics by interpreting the odor data, which are demultiplexed in the demultiplexing means, based on a predetermined odor data descriptor; and a starting time and a duration time of spraying operation are synchronized with a moving picture and a sound outputted from the video device and the audio device, respectively.

14. (Original) The system as recited in claim 13, wherein the taste device releases taste forming materials by interpreting the taste data, which are demultiplexed in the demultiplexing means, based on a predetermined taste data descriptor; and a starting time and a duration time of releasing operation are synchronized with a moving picture and a sound outputted from the video device and the audio device, respectively.

15. (Currently Amended) A method for providing actual-feeling multimedia data in an actual-feeling multimedia data providing system, comprising the steps of:

- a) generating video/audio data by receiving multimedia data from an external device;
  - b) describing vibration, an odor and a taste expressed in the multimedia data transmitted from the external device to thereby generate touch data, odor data and taste data based on predefined touch, odor and taste data descriptors, respectively;
  - c) forming video/audio packets out of the video/audio data; and forming a touch packet, an odor packet and a taste packet out of the touch data, the odor data and the taste data, respectively;
  - d) performing synchronization by multiplexing the video/audio packets with at least one of the touch packet, the odor packet and the taste packet, wherein the multiplexing adds at least one of the touch/odor/taste packets to the video/audio packets on a basis of a multimedia data frame to thereby multiplex and synchronize the video/audio packets with the touch/odor/taste packets;
  - e) transmitting a multiplexed and synchronized packet to a receiving part;
  - f) receiving the multimedia data frames ~~multiplexed and synchronized packet~~ and demultiplexing the ~~multiplexed packet~~ received multimedia data frames into the video data, the audio data, the touch data, the odor data and the taste data;
  - g) decoding and outputting the demultiplexed video data and the demultiplexed audio data;
  - h) providing a user with vibration by interpreting the demultiplexed touch data;
  - i) spraying chemical aromatics to the user by interpreting the demultiplexed odor data;
- and
- j) a taste device for releasing taste forming materials to a user by interpreting the demultiplexed taste data.